

Message

From: [Nonresponsive based on revised scope]@WestonSolutions.com]
Sent: 4/8/2020 6:14:15 PM
To: [Nonresponsive based on revised scope]@erllc.com]; Wagner, Christine [Wagner.Christine@epa.gov]
Subject: RE: [EXT]Re: Property 2, East of the Road

You are Correct [] Thank you. The sample I noted was post-ex East on the Road, cut West to East.

Do you have results for COC 116 (Road West)?

The East Fence Line, East of the Road is PCBs = 32.8; Cd = 0.59; Pd = 4.9

Thank you,

Nonresponsive based on revised scope

From: [Nonresponsive based on revised scope]@erllc.com]
Sent: Wednesday, April 08, 2020 13:54
To: Wagner, Christine <Wagner.Christine@epa.gov>; [Nonresponsive based on revised scope]@WestonSolutions.com>
Subject: RE: [EXT]Re: Property 2, East of the Road

**** External Email ****

[Nonresponsive based on revised scope]

Were you looking at the correct data? What COC # were you looking at? Please see attached.
Thanks

[Nonresponsive based on revised scope]

From: Wagner, Christine <Wagner.Christine@epa.gov>
Sent: Wednesday, April 8, 2020 1:51 PM
To: [Nonresponsive based on revised scope]@westonsolutions.com>
Cc: [Nonresponsive based on revised scope]@erllc.com>
Subject: [EXT]Re: Property 2, East of the Road

*****CAUTION***** This email originates from a source outside the company. Please use caution when opening attachments, clicking on links, or following the senders request.

Thank you []

[]

The area between property 2 loading road and East gate does NOT require excavation

Thank you
Chris

On Apr 8, 2020, at 1:40 PM, Nonresponsive based on revised scope <westonsolutions.com> wrote:

Chris,

The Property 2, Area east of the excavated road, near the gate:

PCBs: 5.8 mg/kg
TCLP Cd: 0.091 mg/L
TCLP Pd: 0.35 mg/L

Thank you,

Nonresponsive based on revised scope

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

<3090510_935725_fr.pdf>

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.